

SAFETY DATA SHEET  
**THICK BLEACH**

**1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING**

PRODUCT NAME                    THICK BLEACH  
 PRODUCT NO.                    AJTB  
 SUPPLIER                        Astral Chemical Solutions Ltd  
    PO Box 250  
    Whitefield  
    Manchester M45 8XQ  
    0161 767 8219



**EMERGENCY TELEPHONES    (+0044) (0) 161 620 5400**

**NOTE: TO BE USED FOR CHEMICAL EMERGENCIES ONLY!!!**

**2 COMPOSITION/INFORMATION ON INGREDIENTS**

Name	EC No.	CAS-No.	Content	Classification
SODIUM HYDROXIDE	215-185-5	1310-73-2	1-5%	C;R35
SODIUM HYPOCHLORITE SOLUTION, ... % Cl ACTIVE	231-668-3	7681-52-9	1-5%	C;R34 R31 N;R50
SURFACTANT BLEND			10-30%	Xi;R36/38.

The Full Text for all R-Phrases are Displayed in Section 16

**3 HAZARDS IDENTIFICATION**

Contact with acids liberates toxic gas. Irritating to eyes and skin.

CLASSIFICATION                    Xi;R36/38. R31.

**4 FIRST-AID MEASURES**

**INHALATION**

Move the exposed person to fresh air at once. Rinse nose and mouth with water. Get medical attention if any discomfort continues.

**INGESTION**

Remove victim immediately from source of exposure. Rinse mouth thoroughly. Drink plenty of water. Get medical attention.

**SKIN CONTACT**

Remove affected person from source of contamination. Remove contaminated clothing. Wash the skin immediately with soap and water. Get medical attention if irritation persists after washing.

**EYE CONTACT**

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

**5 FIRE-FIGHTING MEASURES**

**EXTINGUISHING MEDIA**

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

**6 ACCIDENTAL RELEASE MEASURES**

**SPILL CLEAN UP METHODS**

Wear necessary protective equipment. Absorb in vermiculite, dry sand or earth and place into containers. Do not contaminate water sources or sewer. Flush with plenty of water to clean spillage area.

**7 HANDLING AND STORAGE**

**USAGE PRECAUTIONS**

Avoid spilling, skin and eye contact.

**STORAGE PRECAUTIONS**

Store in tightly closed original container in a cool, dry well-ventilated place. Keep in original container. Store separated from: Acids.

**STORAGE CLASS**

Corrosive storage.

**8 EXPOSURE CONTROLS/PERSONAL PROTECTION**

**THICK BLEACH**

Name	Std	LT - ppm	LT - mg/m3	ST - ppm	ST - mg/m3
SODIUM HYDROXIDE	WEL				2 mg/m3

**INGREDIENT COMMENTS**

WEL = Workplace Exposure Limits

**PROTECTIVE EQUIPMENT**



**ENGINEERING MEASURES**

No particular ventilation requirements.

**RESPIRATORY EQUIPMENT**

No specific recommendation made, but respiratory protection must be used if the general level exceeds the Recommended Workplace Exposure Limit. Use chemical cartridge protection with appropriate cartridge.

**HAND PROTECTION**

Use protective gloves.

**EYE PROTECTION**

Use approved safety goggles or face shield.

**OTHER PROTECTION**

Wear appropriate clothing to prevent any possibility of skin contact.

**HYGIENE MEASURES**

**DO NOT SMOKE IN WORK AREA!** Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke.

**9 PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE	Liquid		
COLOUR	Straw		
ODOUR	Chlorine.		
SOLUBILITY	Soluble in water		
RELATIVE DENSITY	1.100 @ 20 °c	pH-VALUE, CONC. SOLUTION	11.0
FLASH POINT (°C)	na N/A.		

**10 STABILITY AND REACTIVITY**

**STABILITY**

Avoid: Contact with acids.

**CONDITIONS TO AVOID**

Generates toxic gas in contact with acid.

**HAZARDOUS DECOMPOSITION PRODUCTS**

Toxic gases/vapours/fumes of: Chlorine.

**11 TOXICOLOGICAL INFORMATION**

**INHALATION**

May cause irritation to the respiratory system.

**INGESTION**

May cause burns in mucous membranes, throat, oesophagus and stomach. May cause stomach pain or vomiting.

**SKIN CONTACT**

Irritating to skin. Prolonged or repeated exposure may cause severe irritation. Acts as a defatting agent on skin. May cause cracking of skin, and eczema. May cause allergic contact eczema. May cause sensitisation by skin contact.

**EYE CONTACT**

May cause severe irritation to eyes. Risk of serious damage to eyes. Surfactant or detergent eye injury due to liquid splashes or dust.

**ROUTE OF ENTRY**

Ingestion. Skin and/or eye contact.

**THICK BLEACH**

**12 ECOLOGICAL INFORMATION**

**ECOTOXICITY**

Dangerous for the environment if discharged into watercourses. 1ppm available chlorine is toxic to all fish.

**13 DISPOSAL CONSIDERATIONS**

**DISPOSAL METHODS**

Dispose of waste and residues in accordance with local authority requirements.

**14 TRANSPORT INFORMATION**



UK ROAD CLASS	8		
PROPER SHIPPING NAME	HYPOCHLORITE SOLUTION		
UN NO. ROAD	1791	UK ROAD PACK GR.	III
ADR CLASS NO.	8	ADR CLASS	Class 8: Corrosive substances.
ADR PACK GROUP	III	HAZARD No. (ADR)	80
ADR LABEL NO.	8	HAZCHEM CODE	2X
CEFIC TEC(R) NO.	80GC9-II+III	RID CLASS NO.	8
RID PACK GROUP	III	UN NO. SEA	1791
IMDG CLASS	8	IMDG PACK GR.	III
EMS	F-A, S-B	MFAG	See Guide
MARINE POLLUTANT	No.	UN NO. AIR	1791
AIR CLASS	8	AIR PACK GR.	III

**15 REGULATORY INFORMATION**

**LABELLING**



Irritant

**RISK PHRASES**

- R31 Contact with acids liberates toxic gas.
- R36/38 Irritating to eyes and skin.

**SAFETY PHRASES**

- S24/25 Avoid contact with skin and eyes.
- S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- S2 Keep out of the reach of children
- S46 If swallowed, seek medical advice immediately and show this container or label.

**UK REGULATORY REFERENCES**

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2002.

The Control of Substances Hazardous to Health Regulations 2002.

**ENVIRONMENTAL LISTING**

Rivers (Prevention of Pollution) Act 1961.

Control of Pollution (Special Waste Regulations) Act 1980.

