

SAFETY DATA SHEET

WHEEL KLEEN

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

PRODUCT NAME WHEEL KLEEN
 PRODUCT NO. AJWKB
 SUPPLIER Astral Chemical Solutions Ltd.
 P.O. Box 250
 Whitefield
 Manchester M45 8XQ
 0161 767 8219



EMERGENCY TELEPHONES (+0044) (0) 161 620 5400

NOTE: TO BE USED FOR CHEMICAL EMERGENCIES ONLY!!!

2 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification
PHOSPHATE ESTER		72283-31-9	1-5%	Xi;R36/38.
POTASSIUM HYDROXIDE	215-181-3	1310-58-3	1-5%	C;R35 Xn;R22
POTASSIUM SILICATE		1312-76-1	1-5%	Xi;R38,R41.
PRIMARY ALCOHOL ETHOXYLATE		68439-45-2	1-5%	Xn;R22. Xi;R41.
SODIUM ALKYLETHER SULPHATE		13150-00-0	1-5%	Xi;R36/38.

The Full Text for all R-Phrases are Displayed in Section 16

3 HAZARDS IDENTIFICATION

Causes burns.

CLASSIFICATION C;R34.

4 FIRST-AID MEASURES

INHALATION

Move the exposed person to fresh air at once. Perform artificial respiration if breathing has stopped. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical attention.

INGESTION

DO NOT INDUCE VOMITING! NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS! Remove victim immediately from source of exposure. Provide rest, warmth and fresh air. Rinse mouth thoroughly. Drink plenty of water. Get medical attention immediately!

SKIN CONTACT

Remove affected person from source of contamination. Rinse the skin immediately with lots of water. Continue to rinse for at least 15 minutes and seek medical attention.

EYE CONTACT

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention.

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

The product is non-combustible. Use fire-extinguishing media appropriate for surrounding materials.

6 ACCIDENTAL RELEASE MEASURES

SPILL CLEAN UP METHODS

Stop leak if possible without risk. DO NOT touch spilled material! Absorb in vermiculite, dry sand or earth and place into containers. Flush area with plenty of water. Do not let washing down water contaminate ponds or waterways.

7 HANDLING AND STORAGE

USAGE PRECAUTIONS

Avoid spilling, skin and eye contact.

STORAGE PRECAUTIONS

Store away from Acids. Keep in original container.

WHEEL KLEEN

STORAGE CLASS

Corrosive storage.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Name	Std	LT - ppm	LT - mg/m3	ST - ppm	ST - mg/m3
POTASSIUM HYDROXIDE	WEL				2 mg/m3

INGREDIENT COMMENTS

WEL = Workplace Exposure Limits

PROTECTIVE EQUIPMENT



HAND PROTECTION

Use full-length gloves.

EYE PROTECTION

Wear full-face visor or shield.

OTHER PROTECTION

Wear appropriate clothing to prevent any possibility of skin contact.

HYGIENE MEASURES

DO NOT SMOKE IN WORK AREA! Wash at the end of each work shift and before eating, smoking and using the toilet. Wash promptly if skin becomes wet or contaminated. Promptly remove any clothing that becomes contaminated. When using do not eat, drink or smoke.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Liquid		
COLOUR	Blue		
ODOUR	Odourless		
SOLUBILITY	Miscible with water.		
RELATIVE DENSITY	>1.0 @20	pH-VALUE, CONC. SOLUTION	>12.0
FLASH POINT (°C)	na N/A.		

10 STABILITY AND REACTIVITY

STABILITY

Stable under normal temperature conditions.

HAZARDOUS DECOMPOSITION PRODUCTS

Fire creates: Toxic gases/vapours/fumes of: Carbon monoxide (CO). Carbon dioxide (CO2).

11 TOXICOLOGICAL INFORMATION

INHALATION

Irritating to respiratory system. Vapour may irritate respiratory system or lungs. Prolonged inhalation of high concentrations may damage respiratory system. May cause damage to mucous membranes in nose, throat, lungs and bronchial system.

INGESTION

Causes burns. May cause burns in mucous membranes, throat, oesophagus and stomach. May cause severe internal injury. Severe abdominal pain.

SKIN CONTACT

Causes burns. May cause serious chemical burns of the skin. Contact with concentrated chemical may cause severe skin damage.

EYE CONTACT

No specific health warnings noted. Causes burns. May cause chemical eye burns. Risk of serious damage to eyes. Irritation, burning, lachrymation, blurred vision after liquid splash. Risk of corneal damage.

ROUTE OF ENTRY

Inhalation. Ingestion. Skin and/or eye contact.

TARGET ORGANS

Eyes. Skin. Respiratory system, lungs.

WHEEL KLEEN

12 ECOLOGICAL INFORMATION

ECOTOXICITY

Dangerous for the environment if discharged into watercourses.

DEGRADABILITY

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

13 DISPOSAL CONSIDERATIONS

DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements.

14 TRANSPORT INFORMATION



UK ROAD CLASS	8		
PROPER SHIPPING NAME	CORROSIVE LIQUID, N.O.S.		
UN NO. ROAD	1760	UK ROAD PACK GR.	II
ADR CLASS NO.	8	ADR CLASS	Class 8: Corrosive substances.
ADR PACK GROUP	II	HAZARD NO. (ADR)	80 Corrosive or slightly corrosive substance.
	80	ADR LABEL NO.	8
HAZCHEM CODE	2X	CEFIC TEC(R) NO.	80GC9-II+III
RID CLASS NO.	8	RID PACK GROUP	II
UN NO. SEA	1760	IMDG CLASS	8
IMDG PACK GR.	II	EMS	F-A, S-B
MFAG	See Guide	MARINE POLLUTANT	No.
UN NO. AIR	1760	AIR CLASS	8
AIR PACK GR.	II		

15 REGULATORY INFORMATION

LABELLING



Corrosive

CONTAINS

POTASSIUM HYDROXIDE

RISK PHRASES

R34 Causes burns.

SAFETY PHRASES

- S2 Keep out of the reach of children
- S24/25 Avoid contact with skin and eyes.
- S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.
- S45 In case of accident or if you feel unwell, seek medical advice immediately (show label where possible).

DETERGENT LABELLING

< 5% Non-ionic surfactants
Anionic surfactants

