



## SAFETY DATA SHEET

### AST-BFR50

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

#### **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

##### **1.1. Product Identifier**

**Product name** BEARING FIT RETAINER

**Container size** 50ml

##### **1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Identified uses** Adhesive.

##### **1.3. Details of the supplier of the safety data sheet**

**Supplier** ASTRAL CSL  
Pilkingtons Industrial Estate, Rake Lane,  
Swinton  
M27 8LP  
Tel; +44 (0) 161 643 0260

##### **1.4. Emergency telephone number**

**Emergency telephone** +44 (0) 161 643 0260

#### **SECTION 2: Hazards Identification**

##### **2.1. Classification of the substance or mixture**

###### **Classification**

###### **Physical hazards**

Not Classified

###### **Health hazards**

Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 STOT SE 3 - H335

###### **Environmental hazards**

Not Classified

##### **2.2. Label elements**

###### **Pictogram**



**Signal word** Warning

###### **Hazard statements**

H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H335 May cause respiratory irritation.

###### **Precautionary statements**

**AST-BFR50**

P261 Avoid breathing vapour/spray.  
 P264 Wash contaminated skin thoroughly after handling.  
 P271 Use only outdoors or in a well-ventilated area.  
 P272 Contaminated work clothing should not be allowed out of the workplace.  
 P280 Wear protective gloves/protective clothing/eye protection/face protection.  
 P302+P352 IF ON SKIN: Wash with plenty of water.  
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P312 Call a POISON CENTER/doctor if you feel unwell. P321  
 Specific treatment (see medical advice on this label). P332+P313  
 If skin irritation occurs: Get medical advice/attention.  
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
 P337+P313 If eye irritation persists: Get medical advice/attention.  
 P362+P364 Take off contaminated clothing and wash it before reuse.  
 P403+P233 Store in a well-ventilated place. Keep container tightly closed.  
 P405 Store locked up.  
 P501 Dispose of contents/container in accordance with national regulations.

**Contains** Ethoxylated Bisphenol A Dimethacrylate, 2-hydroxypropyl methacrylate,  $\alpha$ ,  $\alpha$ -dimethylbenzyl hydroperoxide, maleic acid, 1-Acetyl-2-phenylhydrazine

**2.3. Other hazards****SECTION 3: Composition/information on ingredients****3.2. Mixtures**

<b>Ethoxylated Bisphenol A Dimethacrylate</b> 60% CAS number: 41637-38-1 EC number: —	<b>30-</b>
<b>Classification</b> Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 STOT SE 3 - H335	<b>Classification (67/548/EEC or 1999/45/EC)</b>
<b>2-hydroxypropyl methacrylate</b> 30% CAS number: 923-26-2 EC number: 213-090-3	<b>10-</b>
<b>Classification</b> Eye Irrit. 2 - H319 Skin Sens. 1 - H317	<b>Classification (67/548/EEC or 1999/45/EC)</b>

**AST-BFR50** ~~$\alpha,\alpha$ -dimethylbenzyl hydroperoxide~~ **$\alpha,\alpha$ -dimethylbenzyl hydroperoxide**

1-

**5% CAS number:** 80-15-9 **EC number:** 201-254-7~~Classification (67/548/EEC or 1999/45/EC)~~**Classification****Classification (67/548/EEC or 1999/45/EC)**

Org. Perox. E - H242  
 Acute Tox. 4 - H302  
 Acute Tox. 4 - H312  
 Acute Tox. 3 - H331  
 Skin Corr. 1B - H314  
 Eye Dam. 1 - H318  
 STOT SE 3 - H335  
 STOT RE 2 - H373  
 Aquatic Chronic 2 - H411

~~maleic acid~~

&lt;1 /

**maleic acid****<1% CAS number:** 110-16-7 **EC number:** 203-742-5~~Classification (67/548/EEC or 1999/45/EC)~~**Classification****Classification (67/548/EEC or 1999/45/EC)**

Acute Tox. 4 - H302  
 Eye Irrit. 2 - H319  
 STOT SE 3 - H335  
 Skin Irrit. 2 - H315  
 Skin Sens. 1 - H317

~~1-Acetyl-2-phenylhydrazine~~

&lt;1 /

**1-Acetyl-2-phenylhydrazine**

&lt;1%

**CAS number:** 114-83-0 **EC number:** —~~Classification (67/548/EEC or 1999/45/EC)~~**Classification****Classification (67/548/EEC or 1999/45/EC)**

Acute Tox. 3 - H301  
 Skin Irrit. 2 - H315  
 Eye Irrit. 2 - H319  
 Skin Sens. 1 - H317  
 STOT SE 3 - H335

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

**SECTION 4: First aid measures****4.1. Description of first aid measures****Inhalation**

Move affected person to fresh air at once. Get medical attention if any discomfort continues.

**Ingestion**

Rinse mouth thoroughly with water. Give plenty of water to drink. Do not induce vomiting.

**Skin contact**

Wash skin thoroughly with soap and water. Get medical attention.

**Eye contact**

Rinse immediately with plenty of water. Get medical attention if symptoms are severe or persist. Continue to rinse for at least 10 minutes.

**4.2. Most important symptoms and effects, both acute and delayed****Skin contact**

Redness.

**Eye contact**

## AST-BFR50

Conjunctivitis, irritation, tearing.

### **4.3. Indication of any immediate medical attention and special treatment needed**

#### **Notes for the doctor**

Treat symptomatically.

## **SECTION 5: Firefighting measures**

### **5.1. Extinguishing media**

#### **Suitable extinguishing media**

Extinguish with the following media: Carbon dioxide (CO<sub>2</sub>). Foam. Alcohol-resistant foam. Water spray.

#### **Unsuitable extinguishing media**

None known.

### **5.2. Special hazards arising from the substance or mixture**

#### **Hazardous combustion products**

Oxides of carbon. Oxides of nitrogen. Sulphur.

### **5.3. Advice for firefighters**

#### **Protective actions during firefighting**

Containers close to fire should be removed or cooled with water.

#### **Special protective equipment for firefighters**

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

## **SECTION 6: Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

#### **Personal precautions**

Avoid contact with skin and eyes. Provide adequate ventilation.

### **6.2. Environmental precautions**

#### **Environmental precautions**

Avoid discharge into drains or watercourses or onto the ground.

### **6.3. Methods and material for containment and cleaning up**

#### **Methods for cleaning up**

Absorb spillage with sand or other inert absorbent. Collect and place in suitable waste disposal containers and seal securely.

### **6.4. Reference to other sections**

#### **Reference to other sections**

For personal protection, see Section 8. For waste disposal, see Section 13.

## **SECTION 7: Handling and storage**

### **7.1. Precautions for safe handling**

#### **Usage precautions**

Use only in well-ventilated areas. Do not eat, drink or smoke when using this product. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.

### **7.2. Conditions for safe storage, including any incompatibilities**

#### **Storage precautions**

Store at temperatures between 8°C and 21°C. Store in tightly-closed, original container in a well-ventilated place.

### **7.3. Specific end use(s)**

#### **Specific end use(s)**

The identified uses for this product are detailed in Section 1.2.

## **SECTION 8: Exposure Controls/personal protection**

## AST-BFR50

### **8.1. Control parameters**

#### **Occupational exposure limits**

### **8.2. Exposure controls**

#### **Eye/face protection**

Wear eye protection.

#### **Hand protection**

To protect hands from chemicals, gloves should comply with European Standard EN374.

#### **Other skin and body protection**

Wear apron or protective clothing in case of contact.

#### **Respiratory protection**

If ventilation is inadequate, suitable respiratory protection must be worn.

## **SECTION 9: Physical and Chemical Properties**

### **9.1. Information on basic physical and chemical properties**

#### **Appearance**

Liquid.

#### **Colour**

Yellow.

#### **Odour**

Sweetish.

#### **Odour threshold**

Not available.

#### **pH**

pH (concentrated solution): 3-5

#### **Melting point**

Not available.

#### **Initial boiling point and range**

Not available.

#### **Flash point**

> 100°C

#### **Evaporation rate**

Not determined.

#### **Upper/lower flammability or explosive limits**

Not applicable.

#### **Vapour pressure**

-0.1 mm Hg @ 20°C

#### **Vapour density**

Not available.

#### **Relative density**

~ 1.08

#### **Solubility(ies)**

Slightly soluble in water.

#### **Partition coefficient**

Not available.

#### **Auto-ignition temperature**

Not available.

#### **Decomposition Temperature**

## AST-BFR50

Not available.

### Viscosity

400-800 cps @ °C

### Explosive properties

Not available.

### Oxidising properties

Not available.

## 9.2. Other information

### Other information

None.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Strong acids. Strong oxidising agents.

### 10.2. Chemical stability

#### Stability

Stable at normal ambient temperatures and when used as recommended.

### 10.3. Possibility of hazardous reactions

Under normal conditions of storage and use, no hazardous reactions will occur.

### 10.4. Conditions to avoid

There are no known conditions that are likely to result in a hazardous situation.

### 10.5. Incompatible materials

#### Materials to avoid

None known.

### 10.6. Hazardous decomposition products

In case of fire Other toxic gases and vapours

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Acute toxicity - oral

##### ATE oral (mg/kg)

12,591.96791197

#### Acute toxicity - dermal

##### ATE dermal (mg/kg)

110000.0

#### Acute toxicity - inhalation

##### ATE inhalation (vapours mg/l)

300.0

#### Inhalation

Irritating to respiratory system.

#### Ingestion

May cause irritation.

#### Skin contact

Irritating.

#### Eye contact

Risk of serious damage to eyes.

## AST-BFR50

### SECTION 12: Ecological Information

#### **Ecotoxicity**

There are no data on the ecotoxicity of this product.

#### **12.1. Toxicity**

Do not empty into drains/surface water/ground water

#### **12.2. Persistence and degradability**

##### **Persistence and degradability**

There are no data on the degradability of this product.

#### **12.3. Bioaccumulative potential**

No data available on bioaccumulation.

##### **Partition coefficient**

Not available.

#### **12.4. Mobility in soil**

##### **Mobility**

Not considered mobile.

#### **12.5. Results of PBT and vPvB assessment**

This product does not contain any substances classified as PBT or vPvB.

#### **12.6. Other adverse effects**

Not available.

### SECTION 13: Disposal considerations

#### **13.1. Waste treatment methods**

##### **General information**

Dispose of waste product or used containers in accordance with local regulations

##### **Disposal methods**

Dispose of waste product or used containers in accordance with local regulations

##### **Waste class**

08 04 09

### SECTION 14: Transport information

#### **General**

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

#### **14.1. UN number**

Not applicable.

#### **14.2. UN proper shipping name**

Not applicable.

#### **14.3. Transport hazard class(es)**

No transport warning sign required.

#### **14.4. Packing group**

Not applicable.

#### **14.5. Environmental hazards**

##### **Environmentally hazardous substance/marine pollutant**

No.

#### **14.6. Special precautions for user**

## AST-BFR50

Not applicable.

### **14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable.

## **SECTION 15: Regulatory information**

### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

#### **EU legislation**

Regulation (EC) No 1907/2006 of the European Parliament and of the council of 18 December 2006 concerning the Registration, evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC, including amendments. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.

### **15.2. Chemical safety assessment**

No chemical safety assessment has been carried out.

## **SECTION 16: Other information**

**Revision date** 27/10/2014

**SDS number** 4632

#### **Hazard statements in full**

H242 Heating may cause a fire.  
H301 Toxic if swallowed.  
H302 Harmful if swallowed.  
H312 Harmful in contact with skin.  
H314 Causes severe skin burns and eye damage.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H331 Toxic if inhaled.  
H335 May cause respiratory irritation.  
H373 May cause damage to organs through prolonged or repeated exposure.  
H411 Toxic to aquatic life with long lasting effects.

#### **Disclaimer**

PRECAUTIONS: This product and the auxiliary materials normally combined with it are capable of producing adverse health effects ranging from minor skin irritation to serious systemic effects. None of these materials should be used, stored, or transported until the handling precautions and recommendations as stated in the Material Safety Data Sheets (MSDS) for this and all other products being used are understood by all persons who will work with the product. WARRANTY: All products purchased from or supplied by ASTRAL CSL are subject to terms and conditions set out in the contract. ASTRAL CSL warrants only that its product will meet those specifications designated as such herein or in other publications. All other information supplied by ASTRAL CSL is considered accurate but are furnished upon the express condition the customer shall make its own assessment to determine the product's suitability for a particular purpose. ASTRAL CSL makes no other warranty, either express or implied, including those regarding such other information, the data upon which the same is based, or the results to be obtained from the use thereof; that any product shall be merchantable or fit for any particular purpose; or that the use of such other information or product will not infringe any patent.