

August 2006



SAFETY DATA SHEET

ABSORBENT LINER

IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY

PRODUCT NAME: ABSORBENT LINER

PART No.: ABL50

SUPPLIER: Astral CSL
Pilkingtons Industrial Estate
Rake Lane
Swinton
M27 8LP

TEL: 0161 643 0260

FAX: 0870 199 2072

A body liquid collection device intended to be used in such a way that return flow is unlikely.

It is not invasive, non sterile class 1 device, in accordance with annex 1X of Medical Device Directive.

Manufactured following good manufacturing procedures ISO 9002 and the design and testing carried out is to ISO 9001.

Component of Pouch	Biocompatibility / Safety Information
Super absorbent Laminate	Biocompatibility testing* has been carried out on the laminate and it was found to have a weak allergenic potential (sensitisation), a negligible irritant and to be non-cytotoxic and meets requirements of the elution test.
Inner non woven layer	Biocompatibility testing has been carried out on the inner non woven layer and it was found to be non-cytotoxic and non-irritating (skin irritation)

The disposal of the Liner should be according to local regulations and by laws. We use products which are to the best of our knowledge either non biodegradable or on breakdown do not release non-environmentally friendly by-products.

*Testing conducted to ISO 10993.