ASTRAL GLASS **POLISH** 

Page: 1

Compilation date: 18/11/2012

Revision date: 13.07.13

Professional Chemical Solutions

Revision No: 1

# Section 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Product name: ASTRAL GLASS POLISH

Product code: AST-GP5

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Glass Polish has been formulated using the latest technology additives to give superb

cleaning results without the formation of dust.It is silicone free and will remove grease, wax, insect marks, traffic film and silicone residues leaving the glass as new.

### 1.3. Details of the supplier of the safety data sheet

Company name: ASTRAL CSL

Pilkington Industrial Estate

Rake Lane Swinton M27 8LP

United Kingdom

Tel: +44 (0) 161 643 0260 Fax: +44 (0) 870 199 2072 Email: info@astralcsl.com

# 1.4. Emergency telephone number

Emergencytel: +44 (0) 161 643 0260

### Section 2: Hazards identification

# 2.1. Classification of the substance or mixture

Classification under CHIP: -: R10; N: R51/53

Classification under CLP: Aquatic Chronic 2: H411; Flam. Liq. 3: H226

Most important adverse effects: Flammable. Toxic to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

### 2.2. Label elements

Label elements under CLP:

Hazard statements: H226: Flammable liquid and vapour.

H411: Toxic to aquatic life with long lasting effects.

Signal words: Warning

ASTRAL GLASS POLISH

Page: 2

Hazard pictograms: GHS02: Flame

GHS09: Environmental



Precautionary statements: P243: Take precautionary measures against static discharge.

P273: Avoid release to the environment.

P280: W ear.

P303+361+353: IF ON SKIN (or hair): Remove immediately all contaminated clothing.

Rinse skin with.

P370+378: In case of fire: Use for extinction.

P391: Collect spillage.

Label elements under CHIP:

Hazard symbols: Dangerous for the environment.



Risk phrases: R10: Flammable.

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

Safety phrases: S61: Avoid release to the environment. Refer to special instructions / safety data sheets.

# 2.3. Other hazards

 $\label{thm:continuous} \textbf{Other hazards:} \ \ \text{In use, may form flammable / explosive vapour-air mixture.}$ 

PBT: This substance is not identified as a PBT substance.

# Section 3: Composition/information on ingredients

# 3.2. Mixtures

### **Hazardous ingredients:**

# LOW BOILING POINT HYDROGEN TREATED NAPHTHA - NAPHTHA (PETROLEUM), HYDRODESULPHURIZED HEAVY

EINECS	CAS	CHIP Classification	CLP Classification	Percent
265-185-4	64742-82-1	Xn: R65; -: R10; N: R51/53	Asp. Tox. 1: H304; Flam. Liq. 3: H226; Aquatic Chronic 2: H411	30-50%

## NATURAL DIATOMACEOUS EARTH

-	61790-53-2	Xn: R20	-	1-10%	

ASTRAL GLASS POLISH

Page: 3

#### **AMMONIA SOLUTION 25-35%**

C: R34;	I: R50 -	<1%	
---------	----------	-----	--

#### Section 4: First aid measures

## 4.1. Description of first aid measures

**Skin contact:** Wash immediately with plenty of soap and water. **Eye contact:** Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water.

Inhalation: Consult a doctor.

### 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness. **Ingestion:** There may be irritation of the throat.

Inhalation: No symptoms.

# 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

# Section 5: Fire-fighting measures

# 5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

# 5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

# 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

#### Section 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. Turn leaking containers leak-

side up to prevent the escape of liquid. Mark out the contaminated area with signs and

prevent access to unauthorised personnel.

# 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

# 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

ASTRAL GLASS POLISH

Page: 4

#### 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

# Section 7: Handling and storage

## 7.1. Precautions for safe handling

Handling requirements: Smoking is forbidden. Use non-sparking tools. Ensure there is sufficient ventilation of

the area. Avoid the formation or spread of mists in the air.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed. The floor of the storage

room must be impermeable to prevent the escape of liquids.

# 7.3. Specific end use(s)

Specific end use(s): No data available.

# Section 8: Exposure controls/personal protection

### 8.1. Control parameters

Workplace exposure limits: Not applicable.

## 8.2. Exposure controls

Engineering measures: The floor of the storage room must be impermeable to prevent the escape of liquids.

Respiratory protection: Respiratory protection not required.

Hand protection: Protective gloves.Eye protection: Safety glasses.Skin protection: Protective clothing.

### Section 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Green-brown

Odour: Characteristic odour

Evaporation rate: Slow

Viscosity: Viscous

Flash point°C: 38 Relative density: 0.92-0.93

# 9.2. Other information

Other information: Not applicable.

# Section 10: Stability and reactivity

# 10.1. Reactivity

**Reactivity:** Stable under recommended transport or storage conditions.

ASTRAL GLASS POLISH

Page: 5

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

**Section 11: Toxicological information** 

11.1. Information on toxicological effects

Toxicity values: Not applicable.

Symptoms / routes of exposure

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness. **Ingestion:** There may be irritation of the throat.

Inhalation: No symptoms.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: Not applicable.

12.2. Persistence and degradability

Persistence and degradability: Not biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: Bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This substance is not identified as a PBT substance.

12.6. Other adverse effects

Other adverse effects: Toxic to aquatic organisms. Toxic to soil organisms.

ASTRAL GLASS POLISH

Page: 6

# Section 13: Disposal considerations

#### 13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

## **Section 14: Transport information**

#### 14.1. UN number

UN number: UN1993

## 14.2. UN proper shipping name

Shipping name: FLAMMABLE LIQUID, N.O.S. (Contains Petroleum Distillate)

# 14.3. Transport hazard class(es)

Transport class: 3

# 14.4. Packing group

Packing group: III

# 14.5. Environmental hazards

Environmentally hazardous: Yes Marine pollutant: No

## 14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: D/E
Transport category: 3

# **Section 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# 15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

# **Section 16: Other information**

### Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No

453/2010.

\* indicates text in the SDS which has changed since the last revision.

Phrases used in s.2 and 3: H226: Flammable liquid and vapour.

H304: May be fatal if swallowed and enters airways.

# ASTRAL GLASS POLISH

Page: 7

H340: May cause genetic defects <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H350: May cause cancer <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>.

H411: Toxic to aquatic life with long lasting effects.

R10: Flammable.

R20: Harmful by inhalation.

R34: Causes burns.

R50: Very toxic to aquatic organisms.

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R65: Harmful: may cause lung damage if swallowed.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive

and shall be used only as a guide. This company shall not be held liable for any

damage resulting from handling or from contact with the above product.