

SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/5

V Kleen 10+ Shine

Revision 0

Revision date 2015-11-18

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier				
Product name	V Kleen 10+ Shine			
1.3. Details of the supplier of the safety dat	ta sheet			
Company	Astral CSL			
Address	Pilkington Industrial Estate			
	Rake Lane Swinton M27 8LP			
Web	www.astralcsl.com			
Telephone	0044 (0) 161 643 0260			
Fax	0044 (0) 870 199 2072			
Email	info@astralcsl.com			
Email address of the	r.murie@astralcsl.com			
competent person				
1.4 Emergency telephone number				

1.4. Emergency telephone number

Emergency telephone number	0044 (0) 7725 123 546
Company	Roger Murie

SECTION 2: Hazards identification

2.1. Classification	of the substance or mixture	

2.1.1. Classifica	ion -	Xi; R36/38	
1999/45/E C		Symbols: Xi: Irritant.	
Main hazards		Irritating to eyes and skin.	
2.1.2. Classifica	ion - EC	Skin Corr. 1A: H314;	
1272/2008			

2.2. Label elements

Hazard pictograms	
Signal Word	Danger
Hazard Statement	Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.
Precautionary Statement:	P260 - Do not breathe dust/fume/gas/mist/vapours/spray.
Prevention	P264 - Wash thoroughly after handling.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement:	P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
Response	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse
	skin with water/shower.
	P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

0

Revision date 2015-11-18

2.2. Label elements				
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact			
	lenses, if present and easy to do. Continue rinsing.			
	P310 -Immediately call a POISON CENTER/doctor/ .			
	P321 - Specific treatment (see on this label).			
	P363 - Wash contaminated clothing before reuse.			
Precautionary Statement:	P405 - Store locked up.			
Storage				
Precautionary Statement:	P501 - Dispose of contents/container to			
Disposal				

SECTION 3: Composition/information on ingredients

3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Alcohol Ethoxylate		68439-45-2			1 - 10%	Xn; R22 Xi; R41	
Quaternary ammonium compounds,		61789-77-3	263-087-6		0 - 0.5%	C; R34 Xn; R22 N; R50	
dicoco alkyldimethyl, chlorides tetrasodium ethylene diamine	607-428-00-2	64-02-8	200-573-9		1 - 10%	Xn; R22 Xi; R41	
tetraacetate C8-18 Alkylamidopropyl Betaine			931-296-8		1 - 10%	Xi; R41	
Isopropanol (Propan-2-ol)	603-117-00-0	67-63-0	200-661-7		0 - 0.5%	F; R11 Xi; R36 R67	
Sodium hydroxide	011-002-00-6	1310-73-2	215-185-5		1 - 10%	C; R35	
Chloromethane	602-001-00-7	74-87-3	200-817-4		0 - 0.5%	F+; R12 Carc. Cat. 3; R40 Xn; R48/20	

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration	Conc.	Classification	M-factor.
				Number	(%w/w)		
Alcohol Ethoxylate		68439-45-2			1 - 10%	Acute Tox. 4: H302; Eye	
						Dam. 1: H318;	
Quaternary ammonium compounds,		61789-77-3	263-087-6		0 - 0.5%	Acute Tox. 4: H302; Skin	
dicoco alkyldimethyl, chlorides						Corr. 1A: H314; Aquatic	
						Acute 1: H400;	
tetrasodium ethylene diamine	607-428-00-2	64-02-8	200-573-9		1 - 10%	Acute Tox. 4: H302; Eye	
tetraacetate.						Dam. 1: H318;	
C8-18 Alkylamidopropyl Betaine			931-296-8		1 - 10%	Eye Dam. 1: H318; Aquatic	
						Chronic 3: H412;	
Sodium hydroxide	011-002-00-6	1310-73-2	215-185-5		1 - 10%	Skin Corr. 1A: H314;	

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water for 15 minutes holding
	the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	Remove the affected person from the source of contamination immediately. Remove contaminated
	clothing. Seek medical attention if irritation or symptoms persist. Wash off immediately with plenty
	of soap and water.
Ingestion	If swallowed, rinse mouth with water (only if the person is conscious). Seek medical attention if
	irritation or symptoms persist. Drink 1 to 2 glasses of water.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.

SECTION 5: Firefighting measures

5.1. Extinguishing media

0

Revision date 2015-11-18

5.1. Extinguishing media					
	Not applicable. Use extinguishing media appropriate to the surrounding fire conditions.				
SECTION 6: Accidental release measu	res				
6.1. Personal precautions, protective equipn	nent and emergency procedures				
	Wear suitable protective equipment.				
6.3. Methods and material for containment a	and cleaning up				
	Absorb with inert, absorbent material. Dilute with water. Clean spillage area thoroughly with plenty of water. Clean area thoroughly with disinfectant. Do not allow runoff water to enter sewers or drains.				
SECTION 7: Handling and storage					
7.1. Precautions for safe handling					
	Avoid contact with eyes and skin. Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin. Keep out of the reach of children. Avoid contact with:. Wear suitable protective clothing, gloves and eye/face protection.				
7.2. Conditions for safe storage, including a	ny incompatibilities				
	Keep container tightly closed and dry. Store in a cool, dry area.				

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. Exposure Limit Values

Chloromethane	WEL 8-hr limit ppm: 50	WEL 8-hr limit mg/m3: 105
	WEL 15 min limit ppm: 100	WEL 15 min limit mg/m3: 210
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
Isopropanol (Propan-2-ol)	WEL 8-hr limit ppm: 400	WEL 8-hr limit mg/m3: 999
	WEL 15 min limit ppm: 500	WEL 15 min limit mg/m3: 1250
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
Sodium hydroxide	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 2
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

8.2. Exposure controls

8.2.2. Individual protection measures	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with eyes and skin. Use appropriate personal protective equipment. Approved safety goggles.
	Wear suitable protective equipment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Revision date 2015-11-18

9.1. Information on basic physical and chemical properties				
Appearance	Aqueous solution			
Colour	Colourless			
Odour	Characteristic			
pH	> 11.5			
Solubility	Soluble in water			
SECTION 10: Stability and reactivity				
10.2. Chemical stability				
	Stable under normal conditions.			
10.6. Hazardous decomposition products				
	No Significant Hazard.			
SECTION 11: Toxicological information	n			
11.1. Information on toxicological effects				
Skin corrosion/irritation	May cause irritation to skin, eyes and mucous membranes.			
Respiratory or skin	May cause irritation to skin in susceptible persons.			
sensitisation				
Repeated or prolonged	May cause degreasing of the skin. May cause irritation to eyes and respiratory system. Prolonged			
exposure	or repeated exposure may cause irritation to skin and mucous membranes.			
11.1.4. Toxicological Information				
	No data available			
SECTION 12: Ecological information				
12.1. Toxicity				
	No data available			
SECTION 13: Disposal considerations				
Disposal methods				
	For disposal within the EC, the appropriate code according to the European Waste Catalogue			
	(EWC) should be used.			
SECTION 14: Transport information				
14.1. UN number				
	The product is not classified as dangerous for carriage.			
14.2. UN proper shipping name				
	The product is not classified as dangerous for carriage.			
14.3. Transport hazard class(es)				
	The product is not classified as dangerous for carriage.			
14.4. Packing group				
	The product is not classified as dangerous for carriage.			
14.5. Environmental hazards				
	The product is not classified as dangerous for carriage.			
14.6. Special precautions for user				
	The product is not classified as dangerous for carriage.			
14.7. Transport in bulk according to Annex	II of MARPOL 73/78 and the IBC Code			
~				
	The product is not classified as dangerous for carriage.			

0

0

Revision date 2015-11-18

SECTION 15: Regulatory information

SECTION 16: Other information

Other information		
Text of risk phrases in Section 3	R11 - Highly flammable. R12 - Extremely flammable. R22 - Harmful if swallowed. R34 - Causes burns. R35 - Causes severe burns. R36 - Irritating to eyes. R40 - Limited evidence of a carcinogenic effect.	
	R41 - Risk of serious damage to eyes. R48/20 - Harmful: danger of serious damage to health by prolonged exposure through inhalation. R50 - Very toxic to aquatic organisms. R67 - Vapours may cause drowsiness and dizziness.	
Text of Hazard Statements in Section 3	Acute Tox. 4: H302 - Harmful if swallowed. Eye Dam. 1: H318 - Causes serious eye damage. Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. Aquatic Acute 1: H400 - Very toxic to aquatic life. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. Skin Irrit. 2: H315 - Causes skin irritation.	
	Eye Irrit. 2: H319 - Causes serious eye irritation.	